

Heavy duty and efficient hot water cleaning for intense use

The tough and robust NEPTUNE 7 FA series combines low running costs, ease of use, low noise and high cleaning efficiency. The most effective tool for heavy duty, industrial hot water cleaning in any sector. The NEPTUNE 7 FA series features low running and maintenance costs, robustness, durability and high cleaning efficiency. Heating costs are reduced with the award-winning EcoPower boiler system with > 92% heating efficiency and high heating power levels for even hotter water. Sound level is reduced and lifetime extended with the famous C3 pump and 1450 rpm motor.

- EcoPower boiler with > 92% efficiency for reduced fuel costs and 115 kW power for optimal water heating
- Flow-activated control system for additional comfort in use
- 1450 RPM motor
- C3pump with 4 ceramic pistons and extended working life
- Easy to use control panel
- Ergo 2000 accessory concept
- Includes BA Valve backflow preventor
- Steel frame and chassis
- Quick service concept reduces maintenance costs
- Optimal machine protection against low fuel, low pump oil. Includes flame sensor and exhaust gas temperature sensor.
- Diagnostics system
- 2 way chemical dosing system with automatic flush system
- Max. Inlet temperature 40°C



Picture shown may not represent model quoted

NEPTUNE 7 FA is the optimal solution for heavy duty, industrial cleaning tasks. The 4 piston pump and high power boiler system offer unbeatable cleaning effect and long lifetime. The FA version adds a new level of reliability and comfort with the flow activated unloader system.

• Standard equipment

Included accessories		Ref. no.	Min. required	NEPTUNE 7-63 FA 230-400/3/50 NO BE	NEPTUNE 7-63 FAX2 230-400/3/50 NO BE	NEPTUNE 7-63 FAX2 400/3/50 EU
	Ergo System Coupling and Adapter					
	ERGO COUPLING KIT	101119496	1	•	•	•
	High Pressure Female Coupling					
	HOSE NOZZLE 20R3/4	61369	1	•	•	•
	QUICK COUPLING 3/4 W/GASKET	1602945	1			
	High Pressure Hose, DN10					
	HOSE DN10 10 M 2W 3/8X3/8 INCH	6101766	1	•		
	HOSE DN10 15 M 2W 3/8X3/8	1402064	1			
	M 20 WIRE HOSE 3/8 DN10	1402072	1		•	•
	Spray Gun					
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	1	•	•	•
	Tornado Lance					
	TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	1	•	•	•

Heavy duty and efficient hot water cleaning for intense use

Included accessories		Ref. no.	Min. required	NEPTUNE 7-63 FA 230-400/3/50 NO BE	NEPTUNE 7-63 FAX2 230-400/3/50 NO BE	NEPTUNE 7-63 FAX2 400/3/50 EU
	Tornado Nozzle with Indication Ring					
	NOZZLE 0680 INDICATION RING GREY	101119747	1			•
	NOZZLE 0700 INDICATION RING ORANGE	101119748	1	•	•	

● Standard equipment

Included accessories		Ref. no.	Min. required	NEPTUNE 7-63 FAX2 440-220/3/60 KR	NEPTUNE 7-63 FA 200/3/50 JP	NEPTUNE 7-63 FA 200/3/60 JP
	Ergo System Coupling and Adapter					
	ERGO COUPLING KIT	101119496	1	•	•	•
	High Pressure Female Coupling					
	HOSE NOZZLE 20R3/4	61369	1	•		
	QUICK COUPLING 3/4 W/GASKET	1602945	1		•	•
	High Pressure Hose, DN10					
	HOSE DN10 10 M 2W 3/8X3/8 INCH	6101766	1		•	•
	HOSE DN10 15 M 2W 3/8X3/8	1402064	1		•	•
	M 20 WIRE HOSE 3/8 DN10	1402072	1	•		
	Spray Gun					
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	1	•	•	•
	Tornado Lance					
	TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	1	•	•	•
	Tornado Nozzle with Indication Ring					
	NOZZLE 0680 INDICATION RING GREY	101119747	1		•	•
	NOZZLE 0700 INDICATION RING ORANGE	101119748	1	•		

● Standard equipment

Included accessories		Ref. no.	Min. required	NEPTUNE 7-63 FA 400/3/50
	Ergo System Coupling and Adapter			
	ERGO COUPLING KIT	101119496	1	•
	High Pressure Female Coupling			
	HOSE NOZZLE 20R3/4	61369	1	•
	QUICK COUPLING 3/4 W/GASKET	1602945	1	
	High Pressure Hose, DN10			
	HOSE DN10 10 M 2W 3/8X3/8 INCH	6101766	1	•
	HOSE DN10 15 M 2W 3/8X3/8	1402064	1	
	M 20 WIRE HOSE 3/8 DN10	1402072	1	

Heavy duty and efficient hot water cleaning for intense use

Included accessories		Ref. no.	Min. required	NEPTUNE 7-63 FA 400/3/50
	Spray Gun			
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	1	•
	Tornado Lance			
	TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	1	•
	Tornado Nozzle with Indication Ring			
	NOZZLE 0680 INDICATION RING GREY	101119747	1	•
	NOZZLE 0700 INDICATION RING ORANGE	101119748	1	

Model	NEPTUNE 7-63 FA 230-400/3/50 NO BE	NEPTUNE 7-63 FAX2 230-400/3/50 NO BE	NEPTUNE 7-63 FAX2 400/3/50 EU
Ref. no.	107146210	107146211	107146212

PRODUCT FEATURES

Full ceramic pistons	•	•	•
EcoPower boiler-high efficiency	•	•	•
SilentPower - 1450 rpm motor	•	•	•
QuickService - innovative concept	•	•	•
C3 4-ceramic piston pump	•	•	•
Ergo accessory system	•	•	•
Hose reel		•	•
Cable reel		•	•
Wdk dual detergent injector	•	•	•
Robust steel chassis and frame	•	•	•
Fuel indicator and gauge	•	•	•
Pump oil warning system	•	•	•
Service indicator	•	•	•
Anti calc indicator	•	•	•
Automatic on/off and delayed action	•	•	•
Flow-activated control system	•	•	•
Flame sensor	•	•	•

Model	NEPTUNE 7-63 FAX2 440-220/3/60 KR	NEPTUNE 7-63 FA 200/3/50 JP	NEPTUNE 7-63 FA 200/3/60 JP
Ref. no.	107146215	107146216	107146217

PRODUCT FEATURES

Full ceramic pistons	•	•	•
EcoPower boiler-high efficiency	•	•	•
SilentPower - 1450 rpm motor	•	•	•

Heavy duty and efficient hot water cleaning for intense use

Model	NEPTUNE 7-63 FAX2 440-220/3/60 KR	NEPTUNE 7-63 FA 200/3/50 JP	NEPTUNE 7-63 FA 200/3/60 JP
Ref. no.	107146215	107146216	107146217

PRODUCT FEATURES

QuickService - innovative concept	•	•	•
C3 4-ceramic piston pump	•	•	•
Ergo accessory system	•	•	•
Hose reel	•		
Cable reel	•		
Wdk dual detergent injector	•	•	•
Robust steel chassis and frame	•	•	•
Fuel indicator and gauge	•	•	•
Pump oil warning system	•	•	•
Service indicator	•	•	•
Anti calc indicator	•	•	•
Automatic on/off and delayed action	•	•	•
Flow-activated control system	•	•	•
Flame sensor	•	•	•

Model	NEPTUNE 7-63 FA 400/3/50
Ref. no.	301001731

PRODUCT FEATURES

Full ceramic pistons	•
EcoPower boiler-high efficiency	•
SilentPower - 1450 rpm motor	•
QuickService - innovative concept	•
C3 4-ceramic piston pump	•
Ergo accessory system	•
Hose reel	
Cable reel	
Wdk dual detergent injector	•
Robust steel chassis and frame	•
Fuel indicator and gauge	•
Pump oil warning system	•
Service indicator	•
Anti calc indicator	•
Automatic on/off and delayed action	•

Heavy duty and efficient hot water cleaning for intense use

Model	NEPTUNE 7-63 FA 400/3/50
Ref. no.	301001731

PRODUCT FEATURES

Flow-activated control system	•
Flame sensor	•

Technical specifications	NEPTUNE 7-63 FA 230-400/3/50 NO BE	NEPTUNE 7-63 FAX2 230-400/3/50 NO BE	NEPTUNE 7-63 FAX2 400/3/50 EU
Energy Label			
Pump pressure (bar/MPa)	175/17.5	175/17.5	175/17.5
Cleaning impact (kg/force)	6.3	6.3	6.3
Pump (RPM)	1450	1450	1450
Power consumption (kW)	8.3	8.3	8.3
Voltage/phase/frequency/current (V/~/HZ/A)	230-400/3/50/25-15	230-400/3/50/25-15	400/3/50/13.
Water flow Qmax/Qiec (l/h)	1260/1170	1260/1170	1260/1170
Water temperature (water/steam) (°C)	90/150	90/150	90/150
El cable (m)	5	10	10
Fuel consumption $\Delta T=45^{\circ}\text{C}$ (kg/h)	4.6	4.6	5.3
Fuel tank (l)	35	35	35
Detergent tank (l)	A: 15 + B: 10	A: 15 + B: 10	A: 15 + B: 10
Nozzle size	.0700	.0700	.0680
Max inlet temperature (°C)	40	40	40
Ceramic pistons	4	4	4
Dimensions LxWxH (mm)	1190x702x987	1190x702x1020	1190x702x1020
Weight (kg)	217	224	226
Sound power level, Re Directive 2000/14/EU (LwA)	93	93	93

Technical specifications	NEPTUNE 7-63 FAX2 440-220/3/60 KR	NEPTUNE 7-63 FA 200/3/50 JP	NEPTUNE 7-63 FA 200/3/60 JP
Energy Label			
Pump pressure (bar/MPa)	175/17.5	175/17.5	175/17.5
Cleaning impact (kg/force)	6.3	6.3	6.3
Pump (RPM)	1750	1450	1750
Power consumption (kW)	8.3	8.3	8.3
Voltage/phase/frequency/current (V/~/HZ/A)	220-440/3/60/24-13.	200/3/50/28	200/3/60/30
Water flow Qmax/Qiec (l/h)	1260/1170	1260/1170	1260/1170
Water temperature (water/steam) (°C)	90/150	90/150	90/150
El cable (m)	10	5	5
Fuel consumption $\Delta T=45^{\circ}\text{C}$ (kg/h)	5.4	5.2	5.2

Heavy duty and efficient hot water cleaning for intense use

Technical specifications	NEPTUNE 7-63 FAX2 440-220/3/60 KR	NEPTUNE 7-63 FA 200/3/50 JP	NEPTUNE 7-63 FA 200/3/60 JP
Fuel tank (l)	35	35	35
Detergent tank (l)	A: 15 + B: 10	A: 15 + B: 10	A: 15 + B: 10
Nozzle size	.0700	.0680	.0680
Max inlet temperature (°C)	40	40	40
Ceramic pistons	4	4	4
Dimensions LxWxH (mm)	1190x702x1020	1190x702x1020	1190x702x1020
Weight (kg)	224	224	224
Sound power level, Re Directive 2000/14/EU (LwA)	93	93	93

Technical specifications	NEPTUNE 7-63 FA 400/3/50
Energy Label	
Pump pressure (bar/MPa)	175/17.5
Cleaning impact (kg/force)	6.3
Pump (RPM)	1450
Power consumption (kW)	8.3
Voltage/phase/frequency/current (V/~/HZ/A)	400/3/50/15
Water flow Qmax/Qiec (l/h)	1260/1170
Water temperature (water/steam) (°C)	90/150
El cable (m)	5
Fuel consumption ΔT=45°C (kg/h)	5.3
Fuel tank (l)	35
Detergent tank (l)	A: 15 + B: 10
Nozzle size	.0680
Max inlet temperature (°C)	40
Ceramic pistons	4
Dimensions LxWxH (mm)	1190x702x1020
Weight (kg)	224
Sound power level, Re Directive 2000/14/EU (LwA)	93

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	NEPTUNE 7-63 FA 230-400/3/50 NO BE	NEPTUNE 7-63 FAX2 230-400/3/50 NO BE	NEPTUNE 7-63 FAX2 400/3/50 EU
	Drain and Pipe Cleaning					
	DRAIN CLEANER 06 20M HOSE	6401268	1	○	○	○
	DRAIN NOZZLE 06. 3/8	2800894	1	○	○	○
	HOSE DN10 10M W.06.DRAIN NOZZ.W.1/4 NIPP	6401267	1	○	○	○
	PIPE CLEANING HOSE 4X10M	301002490	1	○	○	○

Heavy duty and efficient hot water cleaning for intense use

Accessories		Ref. no.	Min. required	NEPTUNE 7-63 FA 230-400/3/50 NO BE	NEPTUNE 7-63 FAX2 230-400/3/50 NO BE	NEPTUNE 7-63 FAX2 400/3/50 EU
	PIPE CLEANING HOSE 4X20M	301002491	1	○	○	○
	PIPE CLEANING NOZZLE 1/8INC IG DN4	46921	1			○
	PIPE CLEANING ROTATY NOZZLE 1/8INC IG DN	46918	1	○	○	○
	Non Blacking High Pressure Hose, DN10					
	20 M 2 WIRE HOSE 3/8 FOOD	1401991	1	○	○	○
	25 M 2 WIRE HOSE 3/8 FOOD	1402007	1	○	○	○
	30 M 2 WIRE HOSE 3/8 FOOD	1402015	1	○	○	○
	HOSE DN10 10 M 2W 3/8X3/8 GRAU-FOOD	6101767	1	○	○	○
	HOSE DN10 15 M 2W 3/8X3/8 GRAY-FOOD	1401983	1	○	○	○
	High Pressure Male Coupling					
	ADAPTER KEW QUICK COUPLING MALE 3/8	66159	1	○	○	○
	ADAPTOR 3/8 INCH MALE FOR HOSE	6401067	1	○	○	○
	ADAPTOR KEW GUN TO WAP ACCESS.	66161	1	○	○	○
	GARDENA COUPLING HOSE END 1/2 BULK	1608629	1	○	○	○
	GEKA COUPLING HOSE END 3/4	1311	1	○	○	○
	LP NIPPLE F. Q.-COUPLING 3/4IN	1600659	1	○	○	○
	NITO COUPLING HOSE END 1	1604669	1	○	○	○
	Brush Washing					
	BRUSH INSERT	10356	1	○	○	○
	WASH BRUSH - ERGO - UNIVERSAL LANCE	14202	1	○	○	○
	WASH BRUSH L1550 MM	6400088	1	○	○	○
	WASH BRUSH L2350 MM	6400087	1	○	○	○
	High Pressure Female Coupling					
	ADAPTER KEW QUICK COUPLING FEMALE 3/8	66160	1	○	○	○
	ADAPTER WAP GUN COUPLING FEMALE M21X1.5	66162	0	○	○	○
	COUPLING GEKA FEMALE - INT THREAD 3/4 IN	1718	1	○	○	○
	GARDENA MALE 3/4 INCH	32541	1	○	○	○
	HOSE NOZZLE 20R3/4	61369	1	●	●	●
	QUICK COUPLING 3/4 W/GASKET	1602945	1	○	○	○
	FlexoPower Lance					
	FLEXOPOWER HOUSE F.NZ 1/8 OUTS. THREAD	63251	1	○	○	○
	FLEXOPOWER PLUS 960 BEND W/O NOZZLE	106402282	1	○	○	○
	FLEXOPOWER PLUS 990 BEND W/O NOZ.	106402281	1	○	○	○
	Injector and Foam Sprayer					
	03 INJECTOR COMPLETE	6401247	1	○	○	○
	EXTENSION HOSE 30 CM WITH ERGO COUPLINGS	301001311	1	○	○	○

Heavy duty and efficient hot water cleaning for intense use

Accessories		Ref. no.	Min. required	NEPTUNE 7-63 FA 230-400/3/50 NO BE	NEPTUNE 7-63 FAX2 230-400/3/50 NO BE	NEPTUNE 7-63 FAX2 400/3/50 EU
	FOAM INJECTOR AGRESSIVE LQDS	6401245	1	○	○	○
	FOAM INJECTOR W BYPASS	6401242	1	○	○	○
	FOAM INJECTOR W BYPASS S. S	6401243	1	○	○	○
	FOAM INJECTOR STANDARD	6401244	1	○	○	○
	FOAM LANCE COMPLETE L600 MM	6404368	1	○	○	○
	FOAM LANCE COMPLETE L1200 MM	6404369	1	○	○	○
	INJECTOR W. FIXED DOSING 3PCT	6401092	1	○	○	○
	Spray Gun					
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	1	●	●	●
	REP. KIT SWIVEL JOINT	101119484	1	○	○	○
	SIDE BAR COMPL.	106402110	1	○	○	○
	SPRAY HANDLE W. SWIVEL LOCK	106402190	1	○	○	○
	Detergent					
	ALTO ACIDO 10 L	81204	1	○	○	○
	ALTO ACTIVE WAX 10 L	81177	1	○	○	○
	ALTO ALLOSIL 10 L	81237	1	○	○	○
	ALTO ANTI-STONE 10 L	80919	1	○	○	○
	ALTO COMBI ACTIVE 10L	81172	1	○	○	○
	ALTO INTENSIVE 10 L	81137	1	○	○	○
	ALTO J 25 MULTI 10 L	80923	1	○	○	○
	ALTO RIMTOP 10 L	80935	1	○	○	○
	ALTO SAPPHIRE 10 L	81180	1	○	○	○
	ALTO STONE-EX 10 L	81191	1	○	○	○
	ALTO SUPERPLUS 10 L	81170	1	○	○	○
	ALTO UNIVERSAL 10 L	80930	1	○	○	○
	ANTI-STONE SET-6X1 L	8466	1	○	○	○
	AUTO ACTIVE 10 L	81136	1	○	○	○
	Universal Lance					
	UNIVERSAL PLUS 650 W/O NOZZLE STRAIGHT	106403032	1	○	○	○
	UNIVERSAL PLUS 1080 W/O NOZZ STRAIGHT	106403033	1	○	○	○
	UNIVERSAL PLUS 2060 W/O NOZZLE STRAIGHT	106403030	1	○	○	○
	UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ	106403036	1	○	○	○
	UNIVERSAL PLUS LANCE 1080 BEND W/O NOZZ	106403035	1	○	○	○
	UNIVERSAL PLUS LANCE 1230 BEND W/O NOZZL	106403034	1	○	○	○

Heavy duty and efficient hot water cleaning for intense use

Accessories		Ref. no.	Min. required	NEPTUNE 7-63 FA 230-400/3/50 NO BE	NEPTUNE 7-63 FAX2 230-400/3/50 NO BE	NEPTUNE 7-63 FAX2 400/3/50 EU
	Hose and Connection					
	COUPLING GEKA FEMALE INT.THREAD 1 INCH	1719	1	○	○	○
	NILFISK BA VALVE COMP. GARDENA	106411177	0	○	○	○
	NILFISK BA VALVE COMP. GEKA	106411179	0	○	○	○
	NILFISK BA VALVE COMP. NITO	106411178	0	○	○	○
	NILFISK BA VALVE WO COUPLER	106411184	0	○	○	○
	WATER INLET HOSE 3/4 P/	6465	1	○	○	○
	Special Nozzle					
	CONTAINER CLEANING NOZZLE	15861	1	○	○	○
	NOZZLE FOR LONG LANCEJET 6-7 M	2802696	1	○	○	○
	NOZZLE PROTECTION CAP PA	18430	1	○	○	○
	NOZZLE STEAM JET Ø1.5MM 50GR 1/8	6692	1	○	○	○
	VARIO-NOZZLE CASING 1/8	5888	1	○	○	○
	Brush Rotary					
	BRISTLE W. SHORT FIBRE HA	6401430	1	○	○	○
	BRISTLE. LONG	6401431	1	○	○	○
	BRUSH HEAD - SHORT BRASS BRISTLE	6401433	1	○	○	○
	NYLON. BRISTLE FOR ROTARY	6401432	1	○	○	○
	ROTARY BRUSH 065 L1700 MM	6400016	1	○	○	○
	Ergo System Coupling and Adapter					
	COUPLING - FEMALE/Q-COUP 3/8 INCH	106402075	1	○	○	○
	ERGO COUPLING KIT	101119496	1	●	●	●
	HIGH PRESSURE COUPLINGS KIT	101119499	1	○	○	○
	Nippel F. Q-COUP. 3/8 INCH	1600493	1	○	○	○
	NIPPLE F/QUICK COUPLING 3/8 SS	1603101	1	○	○	○
	PACKING RING 23.8X17.2X2 3/8 INCH St-NBR	1801075	0	○	○	○
	Short Lance					
	DOUBLE LANCE W/O NOZZLE 90MM	106402150	1	○	○	○
	SINGLE LANCE W/O NOZZLE 90MM	106402151	1	○	○	○
	Tornado Lance					
	TORNADO PLUS 630 STRAIGHT W/O NOZZLE	106403013	1	○	○	○
	TORNADO PLUS 1000 BEND W/O NOZZLE	106403011	1	○	○	○
	TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	1	●	●	●
	TORNADO PLUS 2080 BEND W/O NOZZLE	106403012	1	○	○	○

Heavy duty and efficient hot water cleaning for intense use

Accessories		Ref. no.	Min. required	NEPTUNE 7-63 FA 230-400/3/50 NO BE	NEPTUNE 7-63 FAX2 230-400/3/50 NO BE	NEPTUNE 7-63 FAX2 400/3/50 EU
	Abrasive Blasting					
	ARMEX-POWDER	5218617	1	○	○	○
	BORONCARBIDE FLAT NOZZLE VSB	6400379	1	○	○	○
	LANCE W/FLAT BORONCARBIDE NOZZLE 06 WSB	6400382	1	○	○	○
	LANCE WITH RUBBER FLAT NOZZLE 06	6401365	1	○	○	○
	NOZZLE FOR WSB - FLAT RUBBER 10 PC.	6402317	1	○	○	○
	SAND PLUGGER AND HOSE VSB	6400375	1	○	○	○
	SOFT BLASTING LANCE 06 NOZZLE	6401234	1	○	○	○
	SUPER BLAST 25KG	8379	1	○	○	○
	Special Lance					
	CURVED LANCE L1090 MM	6402016	1	○	○	○
	LANCE SINGLE 1500MM W/O NOZZLE	6401193	1	○	○	○
	UNDER CARRIAGE WASHER 40065	6400036	1	○	○	○
	High Pressure Hose, DN10					
	1 M 2 WIRE HOSE 3/8 DN10	1402916	1	○	○	○
	2 M 2 WIRE HOSE 3/8 DN10	1402924	1	○	○	○
	3 M 2 WIRE HOSE 3/8 DN10	1402932	1	○	○	○
	5 M 2 WIRE HOSE 3/8 DN10	1402940	1	○	○	○
	25 M 2 WIRE HOSE 3/8 DN10	1402080	1	○	○	○
	30 M 2 WIRE HOSE 3/8 DN10	1402098	1	○	○	○
	50 M 2 WIRE HOSE 3/8 DN10	1402759	1	○	○	○
	HOSE DN10 10 M 2W 3/8X3/8 INCH	6101766	1	●	○	○
	HOSE DN10 15 M 2W 3/8X3/8	1402064	1	○	○	○
	M 20 WIRE HOSE 3/8 DN10	1402072	1	○	●	●
	Tornado Nozzle with Indication Ring					
	NOZZLE 0680 INDICATION RING GREY	101119747	1			●
	NOZZLE 0700 INDICATION RING ORANGE	101119748	1	●	●	○
	NOZZLE PROTECTION F. TORNADOL.	106402425	1	○	○	○
	Hose Reel					
	CLEANING TROLLEY SS W/HOSE REEL FOAM IN	6401094	1	○	○	○
	HOSE CORD REEL SET	301001130	1	○	○	○
	HOSE REEL 20M SET	301001131	1	○	○	○
	HOSE REEL RETRACTABLE SS W/O HOSE	106403168	0	○		
	HOSE TROLLEY UP TO 50 M 3/8	6400170	1	○	○	○
	HOSEREEL BLUE.PAINT RETRACTAB.W/20M HOSE	106403131	0	○		

Heavy duty and efficient hot water cleaning for intense use

Accessories		Ref. no.	Min. required	NEPTUNE 7-63 FA 230-400/3/50 NO BE	NEPTUNE 7-63 FAX2 230-400/3/50 NO BE	NEPTUNE 7-63 FAX2 400/3/50 EU
	Filter Pressure Washer					
	CARTRIDGE FILTER REPLACEM. 50 uM	1104041	1	○	○	○
	SAND FILTER 50 MICRON GEKAO	106402200	1	○	○	○
	SAND FILTER 50MICRON UNIVERSAL	1604461	1	○	○	○
	Standard Nozzle 50° 1/8" NPT					
	HP NOZZLE 50070 1/8	5007	1	○	○	○
	PowerSpeed Vario Lance					
	POWERSPEED VARIO PLUS 1090 BEND 0680	106403096	1			○
	POWERSPEED VARIO PLUS 1090 BEND 0700	106403097	1	○	○	
	TurboHammer Nozzle					
	TURBOHAMMER NOZZLE W11 070	48981	1	○	○	
	Standard Nozzle 15° 1/4" NPT					
	HP NOZZLE 15070 1/8	1507	1	○	○	
	External Control Unit					
	COUNTER-H 24V50HZ 7ST.	42628	1	○	○	○
	REMOTE CONTROL 1X DETERGENT	301001355	1	○	○	○
	REMOTE CONTROL 2X DETERGENT	301001356	1	○	○	○
	High Pressure Hose, DN8					
	2 WIRE HOSE DN8 15M W. ERGO FEMALE COUPL	301001100	1	○	○	○
	HOSE DN8 10M 2W W. ERGO FEMALE COUPL	101405770	0	○	○	○
	HOSE DN8 20 M 1W - 3/8X3/8	1405666	1	○	○	○
	Other					
	CRANE LIFTING BRACKET W. EYE COMP.	301001851	1	○	○	○
	CRANE LIFTING EYE	301001090	1	○	○	○
	EXHAUST PIPE 148X197	301001089	1	○	○	○
	WATER SUCTION KIT 300 L/MIN 06	6402018	1	○	○	○
	TurboHammer Lance					
	TURBOHAMMER PLUS 1125 STRAIGHT W11 0700	106402294	1	○	○	
	Standard Nozzle 25° 1/8" NPT					
	HP NOZZLE 25070 1/8 INCH NPT	2507	1	○	○	
	Standard Nozzle 0° 1/8" NPT					
	HP-NOZZLE 0070 1/8	7820	1	○	○	
	High Pressure Hose, DN12					
	10 M 2 WIRE HOSE 1/2 DN12	4810219	0	○	○	○
	15 M 2 WIRE HOSE 1/2 DN12	4810213	0	○	○	○
	20 M 2 WIRE HOSE 1/2 DN12	4810214	0	○	○	○

Heavy duty and efficient hot water cleaning for intense use

Accessories		Ref. no.	Min. required	NEPTUNE 7-63 FA 230-400/3/50 NO BE	NEPTUNE 7-63 FAX2 230-400/3/50 NO BE	NEPTUNE 7-63 FAX2 400/3/50 EU
	Liquid Sprayer					
	ALTO 8P PRESpray UNIT	25598	0	○	○	○
	KEW LIQUID SPRAYER 5S	7110005	0	○	○	○
	KEW LIQUID SPRAYER 10SP	7110010	0	○	○	○
	KEW LIQUID SPRAYER 20S	7110020	0	○	○	○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	NEPTUNE 7-63 FAX2 440-220/3/60 KR	NEPTUNE 7-63 FA 200/3/50 JP	NEPTUNE 7-63 FA 200/3/60 JP
	Drain and Pipe Cleaning					
	DRAIN CLEANER 06 20M HOSE	6401268	1	○	○	○
	DRAIN NOZZLE 06. 3/8	2800894	1	○	○	○
	HOSE DN10 10M W.06.DRAIN NOZZ.W.1/4 NIPP	6401267	1	○	○	○
	PIPE CLEANING HOSE 4X10M	301002490	1		○	○
	PIPE CLEANING HOSE 4X20M	301002491	1	○	○	○
	PIPE CLEANING NOZZLE 1/8INC IG DN4	46921	1		○	○
	PIPE CLEANING ROTATY NOZZLE 1/8INC IG DN	46918	1	○	○	○
	Non Blacking High Pressure Hose, DN10					
	20 M 2 WIRE HOSE 3/8 FOOD	1401991	1	○	○	○
	25 M 2 WIRE HOSE 3/8 FOOD	1402007	1	○	○	○
	30 M 2 WIRE HOSE 3/8 FOOD	1402015	1	○	○	○
	HOSE DN10 10 M 2W 3/8X3/8 GRAU-FOOD	6101767	1	○	○	○
	HOSE DN10 15 M 2W 3/8X3/8 GRAY-FOOD	1401983	1	○	○	○
	High Pressure Male Coupling					
	ADAPTER KEW QUICK COUPLING MALE 3/8	66159	1	○	○	○
	ADAPTOR 3/8 INCH MALE FOR HOSE	6401067	1	○	○	○
	ADAPTOR KEW GUN TO WAP ACCESS.	66161	1	○	○	○
	GARDENA COUPLING HOSE END 1/2 BULK	1608629	1	○	○	○
	GEKA COUPLING HOSE END 3/4	1311	1	○	○	○
	LP NIPPLE F. Q.-COUPLING 3/4IN	1600659	1	○	○	○
	NITO COUPLING HOSE END 1	1604669	1	○	○	○
	Brush Washing					
	BRUSH INSERT	10356	1	○	○	○
	WASH BRUSH - ERGO - UNIVERSAL LANCE	14202	1	○	○	○
	WASH BRUSH L1550 MM	6400088	1	○	○	○
	WASH BRUSH L2350 MM	6400087	1	○	○	○

Heavy duty and efficient hot water cleaning for intense use

Accessories		Ref. no.	Min. required	NEPTUNE 7-63 FAX2 440-220/3/60 KR	NEPTUNE 7-63 FA 200/3/50 JP	NEPTUNE 7-63 FA 200/3/60 JP
	High Pressure Female Coupling					
	ADAPTER KEW QUICK COUPLING FEMALE 3/8	66160	1	○	○	○
	ADAPTER WAP GUN COUPLING FEMALE M21X1.5	66162	0	○	○	○
	COUPLING GEKA FEMALE - INT THREAD 3/4 IN	1718	1	○	○	○
	GARDENA MALE 3/4 INCH	32541	1	○	○	○
	HOSE NOZZLE 20R3/4	61369	1	●	○	○
	QUICK COUPLING 3/4 W/GASKET	1602945	1	○	●	●
	FlexoPower Lance					
	FLEXOPOWER HOUSE F.NZ 1/8 OUTS. THREAD	63251	1	○	○	○
	FLEXOPOWER PLUS 960 BEND W/O NOZZLE	106402282	1	○	○	○
	FLEXOPOWER PLUS 990 BEND W/O NOZ.	106402281	1	○	○	○
	Injector and Foam Sprayer					
	03 INJECTOR COMPLETE	6401247	1	○	○	○
	EXTENSION HOSE 30 CM WITH ERGO COUPLINGS	301001311	1	○	○	○
	FOAM INJECTOR AGRESSIVE LQDS	6401245	1	○	○	○
	FOAM INJECTOR W BYPASS	6401242	1	○	○	○
	FOAM INJECTOR W BYPASS S. S	6401243	1	○	○	○
	FOAM INJECTOR STANDARD	6401244	1	○	○	○
	FOAM LANCE COMPLETE L600 MM	6404368	1	○	○	○
	FOAM LANCE COMPLETE L1200 MM	6404369	1	○	○	○
	INJECTOR W. FIXED DOSING 3PCT	6401092	1	○	○	○
	Spray Gun					
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	1	●	●	●
	REP. KIT SWIVEL JOINT	101119484	1	○	○	○
	SIDE BAR COMPL.	106402110	1	○	○	○
	SPRAY HANDLE W. SWIVEL LOCK	106402190	1	○	○	○
	Detergent					
	ALTO ACIDO 10 L	81204	1	○	○	○
	ALTO ACTIVE WAX 10 L	81177	1	○	○	○
	ALTO ALLOSIL 10 L	81237	1	○	○	○
	ALTO ANTI-STONE 10 L	80919	1	○	○	○
	ALTO COMBI ACTIVE 10L	81172	1	○	○	○
	ALTO INTENSIVE 10 L	81137	1	○	○	○
	ALTO J 25 MULTI 10 L	80923	1	○	○	○
	ALTO RIMTOP 10 L	80935	1	○	○	○
	ALTO SAPPHIRE 10 L	81180	1	○	○	○

Heavy duty and efficient hot water cleaning for intense use

Accessories		Ref. no.	Min. required	NEPTUNE 7-63 FAX2 440-220/3/60 KR	NEPTUNE 7-63 FA 200/3/50 JP	NEPTUNE 7-63 FA 200/3/60 JP
	ALTO STONE-EX 10 L	81191	1	○	○	○
	ALTO SUPERPLUS 10 L	81170	1	○	○	○
	ALTO UNIVERSAL 10 L	80930	1	○	○	○
	ANTI-STONE SET-6X1 L	8466	1	○	○	○
	AUTO ACTIVE 10 L	81136	1	○	○	○
	Universal Lance					
	UNIVERSAL PLUS 650 W/O NOZZLE STRAIGHT	106403032	1	○	○	○
	UNIVERSAL PLUS 1080 W/O NOZZ STRAIGHT	106403033	1	○	○	○
	UNIVERSAL PLUS 2060 W/O NOZZLE STRAIGHT	106403030	1	○	○	○
	UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ	106403036	1	○	○	○
	UNIVERSAL PLUS LANCE 1080 BEND W/O NOZZ	106403035	1	○	○	○
	UNIVERSAL PLUS LANCE 1230 BEND W/O NOZZL	106403034	1	○	○	○
	Hose and Connection					
	COUPLING GEKA FEMALE INT.THREAD 1 INCH	1719	1	○	○	○
	NILFISK BA VALVE COMP. GARDENA	106411177	0	○	○	○
	NILFISK BA VALVE COMP. GEKA	106411179	0	○	○	○
	NILFISK BA VALVE COMP. NITO	106411178	0	○	○	○
	NILFISK BA VALVE WO COUPLER	106411184	0	○	○	○
	WATER INLET HOSE 3/4 P/	6465	1	○	○	○
	Special Nozzle					
	CONTAINER CLEANING NOZZLE	15861	1	○	○	○
	NOZZLE FOR LONG LANCEJET 6-7 M	2802696	1	○	○	○
	NOZZLE PROTECTION CAP PA	18430	1	○	○	○
	NOZZLE STEAM JET Ø1.5MM 50GR 1/8	6692	1	○	○	○
	VARIO-NOZZLE CASING 1/8	5888	1	○	○	○
	Brush Rotary					
	BRISTLE W. SHORT FIBRE HA	6401430	1	○	○	○
	BRISTLE. LONG	6401431	1	○	○	○
	BRUSH HEAD - SHORT BRASS BRISTLE	6401433	1	○	○	○
	NYLON. BRISTLE FOR ROTARY	6401432	1	○	○	○
	ROTARY BRUSH 065 L1700 MM	6400016	1	○	○	○
	Ergo System Coupling and Adapter					
	COUPLING - FEMALE/Q-COUP 3/8 INCH	106402075	1	○	○	○
	ERGO COUPLING KIT	101119496	1	●	●	●
	HIGH PRESSURE COUPLINGS KIT	101119499	1	○	○	○
	Nippel F. Q-COUP. 3/8 INCH	1600493	1	○	○	○

Heavy duty and efficient hot water cleaning for intense use

Accessories		Ref. no.	Min. required	NEPTUNE 7-63 FAX2 440-220/3/60 KR	NEPTUNE 7-63 FA 200/3/50 JP	NEPTUNE 7-63 FA 200/3/60 JP
	NIPPLE F/QUICK COUPLING 3/8 SS	1603101	1	○	○	○
	PACKING RING 23.8X17.2X2 3/8 INCH St-NBR	1801075	0	○	○	○
	Short Lance					
	DOUBLE LANCE W/O NOZZLE 90MM	106402150	1	○	○	○
	SINGLE LANCE W/O NOZZLE 90MM	106402151	1	○	○	○
	Tornado Lance					
	TORNADO PLUS 630 STRAIGHT W/O NOZZLE	106403013	1	○	○	○
	TORNADO PLUS 1000 BEND W/O NOZZLE	106403011	1	○	○	○
	TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	1	●	●	●
	TORNADO PLUS 2080 BEND W/O NOZZLE	106403012	1	○	○	○
	Abrasive Blasting					
	ARMEX-POWDER	5218617	1	○	○	○
	BORONCARBIDE FLAT NOZZLE VSB	6400379	1	○	○	○
	LANCE W/FLAT BORONCARBIDE NOZZLE 06 WSB	6400382	1	○	○	○
	LANCE WITH RUBBER FLAT NOZZLE 06	6401365	1	○	○	○
	NOZZLE FOR WSB - FLAT RUBBER 10 PC.	6402317	1	○	○	○
	SAND PLUGGER AND HOSE VSB	6400375	1	○	○	○
	SOFT BLASTING LANCE 06 NOZZLE	6401234	1	○	○	○
	SUPER BLAST 25KG	8379	1	○	○	○
	Special Lance					
	CURVED LANCE L1090 MM	6402016	1	○	○	○
	LANCE SINGLE 1500MM W/O NOZZLE	6401193	1	○	○	○
	UNDER CARRIAGE WASHER 40065	6400036	1	○	○	○
	High Pressure Hose, DN10					
	1 M 2 WIRE HOSE 3/8 DN10	1402916	1	○	○	○
	2 M 2 WIRE HOSE 3/8 DN10	1402924	1	○	○	○
	3 M 2 WIRE HOSE 3/8 DN10	1402932	1	○	○	○
	5 M 2 WIRE HOSE 3/8 DN10	1402940	1	○	○	○
	25 M 2 WIRE HOSE 3/8 DN10	1402080	1	○	○	○
	30 M 2 WIRE HOSE 3/8 DN10	1402098	1	○	○	○
	50 M 2 WIRE HOSE 3/8 DN10	1402759	1	○	○	○
	HOSE DN10 10 M 2W 3/8X3/8 INCH	6101766	1	○	●	●
	HOSE DN10 15 M 2W 3/8X3/8	1402064	1	○	●	●
	M 20 WIRE HOSE 3/8 DN10	1402072	1	●	○	○

Heavy duty and efficient hot water cleaning for intense use

Accessories		Ref. no.	Min. required	NEPTUNE 7-63 FAX2 440-220/3/60 KR	NEPTUNE 7-63 FA 200/3/50 JP	NEPTUNE 7-63 FA 200/3/60 JP
	Tornado Nozzle with Indication Ring					
	NOZZLE 0680 INDICATION RING GREY	101119747	1		●	●
	NOZZLE 0700 INDICATION RING ORANGE	101119748	1	●	○	○
	NOZZLE PROTECTION F. TORNADOL.	106402425	1	○	○	○
	Hose Reel					
	CLEANING TROLLEY SS W/HOSE REEL FOAM IN	6401094	1	○	○	○
	HOSE CORD REEL SET	301001130	1	○	○	○
	HOSE REEL 20M SET	301001131	1	○	○	○
	HOSE REEL RETRACTABLE SS W/O HOSE	106403168	0		○	○
	HOSE TROLLEY UP TO 50 M 3/8	6400170	1	○	○	○
	HOSEREEL BLUE.PAINT RETRACTAB.W/20M HOSE	106403131	0		○	○
	Filter Pressure Washer					
	CARTRIDGE FILTER REPLACEM. 50 µM	1104041	1	○	○	○
	SAND FILTER 50 MICRON GEKAO	106402200	1	○	○	○
	SAND FILTER 50MICRON UNIVERSAL	1604461	1	○	○	○
	Standard Nozzle 50° 1/8" NPT					
	HP NOZZLE 50070 1/8	5007	1	○	○	○
	PowerSpeed Vario Lance					
	POWERSPEED VARIO PLUS 1090 BEND 0680	106403096	1		○	○
	POWERSPEED VARIO PLUS 1090 BEND 0700	106403097	1	○		
	TurboHammer Nozzle					
	TURBOHAMMER NOZZLE W11 070	48981	1	○		
	Standard Nozzle 15° 1/4" NPT					
	HP NOZZLE 15070 1/8	1507	1	○		
	External Control Unit					
	COUNTER-H 24V50HZ 7ST.	42628	1	○	○	○
	REMOTE CONTROL 1X DETERGENT	301001355	1	○	○	○
	REMOTE CONTROL 2X DETERGENT	301001356	1	○	○	○
	High Pressure Hose, DN8					
	2 WIRE HOSE DN8 15M W. ERGO FEMALE COUPL	301001100	1	○	○	○
	HOSE DN8 10M 2W W. ERGO FEMALE COUPL	101405770	0	○	○	○
	HOSE DN8 20 M 1W - 3/8X3/8	1405666	1	○	○	○
	Other					
	CRANE LIFTING BRACKET W. EYE COMP.	301001851	1	○	○	○
	CRANE LIFTING EYE	301001090	1	○	○	○
	EXHAUST PIPE 148X197	301001089	1	○	○	○

Heavy duty and efficient hot water cleaning for intense use

Accessories		Ref. no.	Min. required	NEPTUNE 7-63 FAX2 440-220/3/60 KR	NEPTUNE 7-63 FA 200/3/50 JP	NEPTUNE 7-63 FA 200/3/60 JP
WATER SUCTION KIT 300 L/MIN 06		6402018	1	○	○	○
	TurboHammer Lance					
	TURBOHAMMER PLUS 1125 STRAIGHT W11 0700	106402294	1	○		
	Standard Nozzle 25° 1/8" NPT					
	HP NOZZLE 25070 1/8 INCH NPT	2507	1	○		
	Standard Nozzle 0° 1/8" NPT					
	HP-NOZZLE 0070 1/8	7820	1	○		
	High Pressure Hose, DN12					
	10 M 2 WIRE HOSE 1/2 DN12	4810219	0	○	○	○
	15 M 2 WIRE HOSE 1/2 DN12	4810213	0	○	○	○
	20 M 2 WIRE HOSE 1/2 DN12	4810214	0	○	○	○
	Liquid Sprayer					
	ALTO 8P PRESpray UNIT	25598	0	○	○	○
	KEW LIQUID SPRAYER 5S	7110005	0	○	○	○
	KEW LIQUID SPRAYER 10SP	7110010	0	○	○	○
	KEW LIQUID SPRAYER 20S	7110020	0	○	○	○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	NEPTUNE 7-63 FA 400/3/50
	Drain and Pipe Cleaning			
	DRAIN CLEANER 06 20M HOSE	6401268	1	○
	DRAIN NOZZLE 06. 3/8	2800894	1	○
	HOSE DN10 10M W.06.DRAIN NOZZ.W.1/4 NIPP	6401267	1	○
	PIPE CLEANING HOSE 4X10M	301002490	1	○
	PIPE CLEANING HOSE 4X20M	301002491	1	○
	PIPE CLEANING NOZZLE 1/8INC IG DN4	46921	1	○
	PIPE CLEANING ROTATY NOZZLE 1/8INC IG DN	46918	1	○
	Non Blacking High Pressure Hose, DN10			
	20 M 2 WIRE HOSE 3/8 FOOD	1401991	1	○
	25 M 2 WIRE HOSE 3/8 FOOD	1402007	1	○
	30 M 2 WIRE HOSE 3/8 FOOD	1402015	1	○
	HOSE DN10 10 M 2W 3/8X3/8 GRAU-FOOD	6101767	1	○
	HOSE DN10 15 M 2W 3/8X3/8 GRAY-FOOD	1401983	1	○
	High Pressure Male Coupling			
	ADAPTER KEW QUICK COUPLING MALE 3/8	66159	1	○
	ADAPTOR 3/8 INCH MALE FOR HOSE	6401067	1	○

Heavy duty and efficient hot water cleaning for intense use

Accessories		Ref. no.	Min. required	NEPTUNE 7-63 FA 400/3/50
	ADAPTOR KEW GUN TO WAP ACCESS.	66161	1	○
	GARDENA COUPLING HOSE END 1/2 BULK	1608629	1	○
	GEKA COUPLING HOSE END 3/4	1311	1	○
	LP NIPPLE F. Q.-COUPLING 3/4IN	1600659	1	○
	NITO COUPLING HOSE END 1	1604669	1	○
	Brush Washing			
	BRUSH INSERT	10356	1	○
	WASH BRUSH - ERGO - UNIVERSAL LANCE	14202	1	○
	WASH BRUSH L1550 MM	6400088	1	○
	WASH BRUSH L2350 MM	6400087	1	○
	High Pressure Female Coupling			
	ADAPTER KEW QUICK COUPLING FEMALE 3/8	66160	1	○
	ADAPTER WAP GUN COUPLING FEMALE M21X1.5	66162	0	○
	COUPLING GEKA FEMALE - INT THREAD 3/4 IN	1718	1	○
	GARDENA MALE 3/4 INCH	32541	1	○
	HOSE NOZZLE 20R3/4	61369	1	●
	QUICK COUPLING 3/4 W/GASKET	1602945	1	○
	FlexoPower Lance			
	FLEXOPOWER HOUSE F.NZ 1/8 OUTS. THREAD	63251	1	○
	FLEXOPOWER PLUS 960 BEND W/O NOZZLE	106402282	1	○
	FLEXOPOWER PLUS 990 BEND W/O NOZ.	106402281	1	○
	Injector and Foam Sprayer			
	03 INJECTOR COMPLETE	6401247	1	○
	EXTENSION HOSE 30 CM WITH ERGO COUPLINGS	301001311	1	○
	FOAM INJECTOR AGRESSIVE LQDS	6401245	1	○
	FOAM INJECTOR W BYPASS	6401242	1	○
	FOAM INJECTOR W BYPASS S. S	6401243	1	○
	FOAM INJECTOR STANDARD	6401244	1	○
	FOAM LANCE COMPLETE L600 MM	6404368	1	○
	FOAM LANCE COMPLETE L1200 MM	6404369	1	○
	INJECTOR W. FIXED DOSING 3PCT	6401092	1	○
	Spray Gun			
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	1	●
	REP. KIT SWIVEL JOINT	101119484	1	○
	SIDE BAR COMPL.	106402110	1	○
	SPRAY HANDLE W. SWIVEL LOCK	106402190	1	○

Heavy duty and efficient hot water cleaning for intense use

Accessories		Ref. no.	Min. required	NEPTUNE 7-63 FA 400/3/50
	Detergent			
	ALTO ACIDO 10 L	81204	1	○
	ALTO ACTIVE WAX 10 L	81177	1	○
	ALTO ALLOSIL 10 L	81237	1	○
	ALTO ANTI-STONE 10 L	80919	1	○
	ALTO COMBI ACTIVE 10L	81172	1	○
	ALTO INTENSIVE 10 L	81137	1	○
	ALTO J 25 MULTI 10 L	80923	1	○
	ALTO RIMTOP 10 L	80935	1	○
	ALTO SAPPHIRE 10 L	81180	1	○
	ALTO STONE-EX 10 L	81191	1	○
	ALTO SUPERPLUS 10 L	81170	1	○
	ALTO UNIVERSAL 10 L	80930	1	○
	ANTI-STONE SET-6X1 L	8466	1	○
	AUTO ACTIVE 10 L	81136	1	○
	Universal Lance			
	UNIVERSAL PLUS 650 W/O NOZZLE STRAIGHT	106403032	1	○
	UNIVERSAL PLUS 1080 W/O NOZZ STRAIGHT	106403033	1	○
	UNIVERSAL PLUS 2060 W/O NOZZLE STRAIGHT	106403030	1	○
	UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ	106403036	1	○
	UNIVERSAL PLUS LANCE 1080 BEND W/O NOZZ	106403035	1	○
	UNIVERSAL PLUS LANCE 1230 BEND W/O NOZZL	106403034	1	○
	Hose and Connection			
	COUPLING GEKA FEMALE INT.THREAD 1 INCH	1719	1	○
	NILFISK BA VALVE COMP. GARDENA	106411177	0	○
	NILFISK BA VALVE COMP. GEKA	106411179	0	○
	NILFISK BA VALVE COMP. NITO	106411178	0	○
	NILFISK BA VALVE WO COUPLER	106411184	0	○
	WATER INLET HOSE 3/4 P/	6465	1	○
	Special Nozzle			
	CONTAINER CLEANING NOZZLE	15861	1	○
	NOZZLE FOR LONG LANCEJET 6-7 M	2802696	1	○
	NOZZLE PROTECTION CAP PA	18430	1	○
	NOZZLE STEAM JET Ø1.5MM 50GR 1/8	6692	1	○
	VARIO-NOZZLE CASING 1/8	5888	1	○

Heavy duty and efficient hot water cleaning for intense use

Accessories		Ref. no.	Min. required	NEPTUNE 7-63 FA 400/3/50
	Brush Rotary			
	BRISTLE W. SHORT FIBRE HA	6401430	1	○
	BRISTLE. LONG	6401431	1	○
	BRUSH HEAD - SHORT BRASS BRISTLE	6401433	1	○
	NYLON. BRISTLE FOR ROTARY	6401432	1	○
	ROTARY BRUSH 065 L1700 MM	6400016	1	○
	Ergo System Coupling and Adapter			
	COUPLING - FEMALE/Q-COUPPL 3/8 INCH	106402075	1	○
	ERGO COUPLING KIT	101119496	1	●
	HIGH PRESSURE COUPLINGS KIT	101119499	1	○
	Nippel F. Q-COUPPL. 3/8 INCH	1600493	1	○
	NIPPLE F/QUICK COUPLING 3/8 SS	1603101	1	○
	PACKING RING 23.8X17.2X2 3/8 INCH St-NBR	1801075	0	○
	Short Lance			
	DOUBLE LANCE W/O NOZZLE 90MM	106402150	1	○
	SINGLE LANCE W/O NOZZLE 90MM	106402151	1	○
	Tornado Lance			
	TORNADO PLUS 630 STRAIGHT W/O NOZZLE	106403013	1	○
	TORNADO PLUS 1000 BEND W/O NOZZLE	106403011	1	○
	TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	1	●
	TORNADO PLUS 2080 BEND W/O NOZZLE	106403012	1	○
	Abrasive Blasting			
	ARMEX-POWDER	5218617	1	○
	BORONCARBIDE FLAT NOZZLE VSB	6400379	1	○
	LANCE W/FLAT BORONCARBIDE NOZZLE 06 WSB	6400382	1	○
	LANCE WITH RUBBER FLAT NOZZLE 06	6401365	1	○
	NOZZLE FOR WSB - FLAT RUBBER 10 PC.	6402317	1	○
	SAND PLUGGER AND HOSE VSB	6400375	1	○
	SOFT BLASTING LANCE 06 NOZZLE	6401234	1	○
	SUPER BLAST 25KG	8379	1	○
	Special Lance			
	CURVED LANCE L1090 MM	6402016	1	○
	LANCE SINGLE 1500MM W/O NOZZLE	6401193	1	○
	UNDER CARRIAGE WASHER 40065	6400036	1	○

Heavy duty and efficient hot water cleaning for intense use

Accessories		Ref. no.	Min. required	NEPTUNE 7-63 FA 400/3/50
	High Pressure Hose, DN10			
	1 M 2 WIRE HOSE 3/8 DN10	1402916	1	○
	2 M 2 WIRE HOSE 3/8 DN10	1402924	1	○
	3 M 2 WIRE HOSE 3/8 DN10	1402932	1	○
	5 M 2 WIRE HOSE 3/8 DN10	1402940	1	○
	25 M 2 WIRE HOSE 3/8 DN10	1402080	1	○
	30 M 2 WIRE HOSE 3/8 DN10	1402098	1	○
	50 M 2 WIRE HOSE 3/8 DN10	1402759	1	○
	HOSE DN10 10 M 2W 3/8X3/8 INCH	6101766	1	●
	HOSE DN10 15 M 2W 3/8X3/8	1402064	1	○
	M 20 WIRE HOSE 3/8 DN10	1402072	1	○
	Tornado Nozzle with Indication Ring			
	NOZZLE 0680 INDICATION RING GREY	101119747	1	●
	NOZZLE 0700 INDICATION RING ORANGE	101119748	1	○
	NOZZLE PROTECTION F. TORNADOL.	106402425	1	○
	Hose Reel			
	CLEANING TROLLEY SS W/HOSE REEL FOAM IN	6401094	1	○
	HOSE CORD REEL SET	301001130	1	○
	HOSE REEL 20M SET	301001131	1	○
	HOSE REEL RETRACTABLE SS W/O HOSE	106403168	0	○
	HOSE TROLLEY UP TO 50 M 3/8	6400170	1	○
	HOSEREEL BLUE.PAINT RETRACTAB.W/20M HOSE	106403131	0	○
	Filter Pressure Washer			
	CARTRIDGE FILTER REPLACEM. 50 uM	1104041	1	○
	SAND FILTER 50 MICRON GEKAO	106402200	1	○
	SAND FILTER 50MICRON UNIVERSAL	1604461	1	○
	Standard Nozzle 50° 1/8" NPT			
	HP NOZZLE 50070 1/8	5007	1	○
	PowerSpeed Vario Lance			
	POWERSPEED VARIO PLUS 1090 BEND 0680	106403096	1	○
	POWERSPEED VARIO PLUS 1090 BEND 0700	106403097	1	○
	TurboHammer Nozzle			
	TURBOHAMMER NOZZLE W11 070	48981	1	
	Standard Nozzle 15° 1/4" NPT			
	HP NOZZLE 15070 1/8	1507	1	

Heavy duty and efficient hot water cleaning for intense use

Accessories		Ref. no.	Min. required	NEPTUNE 7-63 FA 400/3/50
	External Control Unit			
	COUNTER-H 24V50HZ 7ST.	42628	1	○
	REMOTE CONTROL 1X DETERGENT	301001355	1	○
	REMOTE CONTROL 2X DETERGENT	301001356	1	○
	High Pressure Hose, DN8			
	2 WIRE HOSE DN8 15M W. ERGO FEMALE COUPL	301001100	1	○
	HOSE DN8 10M 2W W. ERGO FEMALE COUPL	101405770	0	○
	HOSE DN8 20 M 1W - 3/8X3/8	1405666	1	○
	Other			
	CRANE LIFTING BRACKET W. EYE COMP.	301001851	1	○
	CRANE LIFTING EYE	301001090	1	○
	EXHAUST PIPE 148X197	301001089	1	○
	WATER SUCTION KIT 300 L/MIN 06	6402018	1	○
	TurboHammer Lance			
	TURBOHAMMER PLUS 1125 STRAIGHT W11 0700	106402294	1	
	Standard Nozzle 25° 1/8" NPT			
	HP NOZZLE 25070 1/8 INCH NPT	2507	1	
	Standard Nozzle 0° 1/8" NPT			
	HP-NOZZLE 0070 1/8	7820	1	
	High Pressure Hose, DN12			
	10 M 2 WIRE HOSE 1/2 DN12	4810219	0	○
	15 M 2 WIRE HOSE 1/2 DN12	4810213	0	○
	20 M 2 WIRE HOSE 1/2 DN12	4810214	0	○
	Liquid Sprayer			
	ALTO 8P PRESpray UNIT	25598	0	○
	KEW LIQUID SPRAYER 5S	7110005	0	○
	KEW LIQUID SPRAYER 10SP	7110010	0	○
	KEW LIQUID SPRAYER 20S	7110020	0	○